



FIRST INFORMATION REPORT

First Information of a cognizable crime reported under section 154 Cr. P. C. at PS

Purulia Sub-Divn Raghunathpur P.S. Para Year 2022 FIR No. 159/2022 Date 08/12/22

i) Act IPC Sections 279/427 ii) Act x Sections x
iii) Act x Sections x iv) Other acts & Sections 3 of P.D.P.P. Act

3. a) General Diary Reference : Entry No. 329 Time 14.35 hrs

b) Occurrence of Offence : Day Tuesday Date 06/12/2022 Time 15.05 hrs

c) Information received Date 08/12/2022 Time 14.35 hrs G.D. No. 329 at the P.S.

4. Type of Information : Written / Oral Tyted

5. Place of Occurrence : a) Direction and Distance from P.S. Approx 0.4 kms North from Para PS

b) Address Dubra Bus stand near Purulia more, PS- Para, Dist- Purulia West Bengal Beat No Jt. No-79, A/No-1, Dubra G.P.

c) In case outside limit of this Police Station, then the name of P.S. x District x

6. Complainant / Informant :

a) Name Debabrata Das

b) Father's / Husband's Name H. Balyanath Das

c) Date / Year of birth Not noted d) Nationality Indian

e) Address Now posted as AE 2 S.M. Dubra-Para C.C.C. of N.B.S.E.D.C.L. Dubra, Purulia

7. Details of known/suspected /unknown/accused with full particulars

(Attach separate sheet, if necessary) :

① Driver of vehicle bearing regn no- HR-38M-7932

8. Reasons for delay in reporting by the complainant/informant.....

9. Particulars of properties stolen/involved : (Attach separate sheet, if required) : Damaged a LT9 MTR

Rail pole at Dubra Bus stand

10. Total value of properties stolen/involved Rs- 21,434 as per assessment report.

11. Inquest report/U.D. Case No., if any :.....

12. FIR Contents : (Attach separate sheet, if required) the original written complaint of the complainant which is treated as F.I.R. is attached here with.

Jr.
08/12/22
Officer-In-Charge
PARA POLICE STATION
Dist. Purulia

13. Action taken : Since the above report reveals commission of offence (s) 279/427 IPC and 3 of P.D.P.P. Act.

registered the case and took up the investigation/directed. Asst. Sub. Insp. Bhaskar to take up the investigation/transferred to P.S. on point of jurisdiction. FIR read over to the Complainant/informant, admitted to be correctly recorded and a copy given to the Complainant/informant free of cost.

As on the complaint

Jr.
08/12/22
Officer-In-Charge
PARA POLICE STATION
Dist. Purulia

Gokul Ch. Ruhidas
Officer-In-Charge
PARA POLICE STATION
Dist. Purulia

Signature of the Officer-In-Charge, Police Station with

Name GOKUL CH. RUHIDAS

Rank SI O.P. POLICE, PARA PS.

Number if any DT-08/12/22

Signature / Thumb impression of the Complainant/informant

SR No- 4805/22



WEST BENGAL STATE ELECTRICITY DISTRIBUTION COMPANY LIMITED

(A Govt. of West Bengal Enterprise)

Office Of the Station Manager

Dubra Para Customer Care Center, Para, Purulia

Corporate Office: Bidyut Bhawan, Block -DJ, Sector -II, Bidhan Nagar, Kolkata - 700 091.

CIN: U40109WB2007SGC113473 Website: www.wbsecl.in

Memo. No: SM/DBR/GD / 473

Date: 08.12.2022

To,
The Officer-in-charge,
Para Police Station
Para, Purulia.

Sub: FIR against broken and damaged rail-pole of WBSEDCL at Dubra Bus-Stand

Dear Sir,

I, Debabrata Das, S/o- Lt Belyanath Das, (AE & Station Manager) Dubra para CCC, WBSEDCL do hereby lodge an FIR against the Vehicle bearing number **HR 38M 7932**. As per information received from our mobile maintenance van, on **06.12.2022** at about **15.05 Hrs** the said vehicle collided with and damaged a '**LT 9 MTR rail-pole** at **Dubra, Bus-Stand** area near Para more due rash and reckless driving of the driver. After this I thoroughly inspected the site and prepared an estimate of the damages of infrastructure caused. Due to this incident WBSEDCL has sustained loss of about **Rs. 81,434/-**.

You are requested to please take necessary action on the score.

Thanking you.

Received on 08/12/22 at 14.35 hrs
and started para P.S. case no- 159/22
dt-08/12/22 u/s-279/427 I.P.C. and
3 of PDPP Act.

Am'
08/12/22.
Officer-In-Charge
PARA POLICE STATION
Dist. Purulia

Yours faithfully,

Debabrata Das
08/12/22

(Debabrata Das)
AE & Station Manager
Dubra Para CCC Customer Care Centre
Dubra Para Purulia
WBSEDCL